Index of Contributors

Anderson, A. L., 381–391, 410–411
Austvik, T., 511–513
Ayyagari, M. S., 468–480

Báez, L. A., 177–186
Bakkeng, S. E., 501–504
Barlow, T. W., 549–551
Behar, E., 94–105
Bishnoi, P. R., 311–322, 552–554
Blazek, C., 521–524
Booth, J. S., 487–489, 490–491
Borowski, W. S., 392–409
Brooks, J. M., 381–391
Brown, T., 40–58
Burgass, R. W., 532–534

Cayias, J., 481–483
Christiansen, R. L., 283–305
Clancy, P., 177–186
Coleman, D. F., 364–380
Collett, T. S., 247–269
Commeau, R. F., 490–491

Danesh, A., 532–534
Delion, A.-S., 94–105
Dillon, W. P., 114–118, 364–380, 487–489, 490–491
Dorshow, R. B., 330–340
Dorstewitz, F., 505–507

Edwards, A. R., 543–544
Englezos, P., 270–282
Enick, R., 344–354
Erickson, D., 40–58

Fadnes, F. H., 528–531
Fleyfel, F., 212–224
Fontana, R. L., 106–113
Fredriksen, A. E., 502–504
Freeman, P., 521–524

Gerdes, K. F., 73–74
Gettrust, J. F., 492–494
Ginsburg, G. D., 484–486
Gryte, C. C., 323–329
Gubbins, K. E., 561–563
Guinasso, N. L., Jr., 381–391
Guo, T.-M., 355–357

Happel, J., 412–424, 564–569
Hatzikiriakos, S. G., 270–282
Haymet, A. D. J., 146–158, 549–551
Hnatow, M. A., 412–424
Holder, G. D., 344–354

Istomin, V. A., 535–536

John, V. T., 468–480
Judge, A., 495–497

Kalogerakis, N., 311–322
Kamath, V. A., 463–467
Karayigitoglu, C. F., 468–480
Kelley, L. R., 430–446
Kennicutt, M. C., II, 381–391
Kessel, D., 525–527
Klug, D. D., 161–176
Kobayashi, R., 212–224
Koh, C. A., 561–563
Kolushev, N. R., 535–536
Kommareddi, N. S., 468–480
Kook, A., 212–224
Kvamme, B., 306–310, 545–548
Kvenvolden, K. A., 232–246

LeBlond, C., 344–354
Lee, M. W., 364–380
Lekvam, K., 558–560
Lingelem, M. N., 75–93
Lippmann, D., 525–527
Liss, W., 521–524
Lund, A., 447–449, 545–548
Lysne, D., 514–517

MacDonald, I. R., 381–391
Maddox, R. N., 508–510
Majeed, A. E., 75–93
Makogon, Y. F., 119–145
Malone, R. D., 225–231, 358–363
Martin, R., 212–224
McKee, R. L., 59–72
McPherson, G. L., 468–480
Mewes, D., 505–507
Meyer, H. S., 24–28, 412–424
Monfort, J. P., 555–557
Moshfeghian, M., 508–510
Müller, E. A., 561–563
Mussumeci, A., 106–113

Natarajan, V., 311–322
Neshan, H., 59–72
Neumann, D. L., 430–446
Ng, H.-J., 450–462
Nielsen, R. R., 490–491

Notz, P. K., 425–429
Nzihou, A., 555–557

Oelfke, R. H., 430–446

Parent, J. S., 552–554
Patil, S. L., 463–467
Paull, C. K., 392–409

Radwan, G. M. H., 518–520
Rahimian, I., 525–527
Ratcliffe, C. I., 161–176
Reed, R. L., 430–446
Ripmeester, J. A., 161–176
Robinson, D. B., 450–462
Rodger, P. M., 207–211, 537–539
Rowe, M. M., 492–494
Ruoff, P., 558–560

Sassen, R., 381–391
Savidge, J. L., 24–28, 561–563
Schei, R. S., 498–501
Sloan, E. D., Jr., 1–12, 283–305
Smith, S. L., 495–497
Soloviev, V. A., 484–486
Song, K. Y., 212–224
Stange, E., 75–93
Sugier, A., 94–105

Tata, M., 468–480
Thomas, M., 94–105
Todd, A. C., 532–534
Tohidi, B., 532–534
Tse, J. S., 161–176, 187–206

Ussler, W., III, 392–409

Van der Waals, J. H., 29–39

Wallqvist, A., 159–160, 540–542
Westacott, R. E., 537–539
Winters, W. J., 487–489, 490–491
Woodcock, K. E., 24–28

Young, D. B., 330–340
Young, W. D., 341–343, 430–446
Yousif, M. H., 330–340

Zele, S., 344–354
Zollweg, J. A., 561–563

Subject Index

(Page numbers in boldface type indicate figures.)

acoustic transmission, 107, 108, **111**, 114 *et seq.*, 133
angular order parameter, 179, **180**
annulus, **63**, 64
  and hydrate formation, 72
  nitrogen in, 59, 68, **69**
antifreeze peptide (APF), 543
AOT (bis[2-ethylhexyl] sodium sulfosuccinate), 468, **469**, 470

base of gas hydrate stability zone (BGHS), **394**, **399**–402
BGHS (*See* base of gas hydrate stability zone [BGHS])
binary interaction coefficients, **357**
biogenic methane, 369, 392 *et seq.*
  and abundance of resources, 112
  conditions favoring, 106, 107
  formation in situ, 393, 395, 411
    and depth-concentration profiles, 397, 398 (*Table*)
    and hydrate deposit growth, 403, 404, 406
    and methane distillation from BGHS, 402
    and microbial production gradient, **399**
    and water depth, 400, 406
  and hydrates in Gulf of Mexico, 230 (*Table*), 384, 386, 389
    and depth of water, 382
  in Prudhoe Bay, 265, **266**, 267
bis(2-ethylhexyl sodium sulfosuccinate (AOT) (*See* AOT)
bottom-simulating reflection (BSR), 114–117, **234**, 392, 410
  and blanking, 365, **366**, 370, 371, 378
  depth and extent of, 362 (*Table*)
  and hydrate stability zone, 362, 363
Brazil, 106 *et seq.*, 114 *et seq.*
BSR (*See* bottom-simulating reflection)
Buckminsterfullerenes, 9, **10**

^{13}C NMR spectroscopy, 215 *et seq.*
  and hydrate formation, **216**, **217**, 223
  methane peak with, 217, **218**
  and methane-propane hydrate, **219**–**222**
  propane hydrate peak with, **220**
  propane peak with, **218**
cage (*See also* cavity), 12, 32, **164**, **165**, 169, 175, 187, 344
  guest in, 344
    and energy, 207, 210
    entropic penalty with, 211
    methane as, **196**
    situation and motion in, 193–195
  in structure II, 188
calcium oxalate dihydrate, 323–325
carbon, organic, distribution of, 235, **236**
carbon dioxide, anthropogenic, **143**, 271, 277
  disposal of, 277–280
cavity (*See also* cage), 283
  as adsorption site, 346
  and guests and cavity sizes for CSI and CSII, **286**
  "ideal" size of, 345
  and size of molecules and hydrate structures, **285**
CHARM®, 16
chemical potential, 346, 347, 348, 355, 356
circulation loop (*See also* equilibrium dissociation curve), 95, 96, **98**–100, 103, 141, 447
  and kinetic inhibitor tests, 442–**445**
  pilot-size hydrate flow loop as, 430 *et seq.*
    characteristics of, **435**
    marcoscopic hydrate properties affecting, 448, 449
    process diagram for, **435**
  and plugging, assessment of, 498
  schematic of, 499
clathrate (*See also* cage; guest molecules; host molecules; guest-host interactions), 5, 7, 9, 31, 32, 119, 120, 177
  and cage filling, 120, 122
  statistical mechanical theory of, 29 *et seq.*
    formulation of, 33
    testing of, 35–38
  and phase behavior, 32–34, 38
clathrate hydrates (*See also* cage; guest molecules; host molecules), 5, 7, 9, 120, 157, 161 *et seq.*, 187, 207
  environmental aspects of (*See also* climate change, global), 270 *et seq.*
    and oil well blowout, 278–280
  families of, 164 (*Table*)
  free energy, 537–539
    as function of cell length, **538**
  structures of, 190
    and host-guest hydrates, 161, **162**
    with methanol, 191
    polyhedra in, **9**, **10**, **163**
    stability of, 190, 191, 203
    and structures I and II, 9, 162, 163 (*Table*), 162, **164**, **165**, 187, 212–**214**

and structure H, 161–163 (*Table*), **164**, **165**, 187
thermal conductivity of, 188, 199–**202**, 208, 211
thermal expansivity of, 188, 191, 192 (*Table*)
climate change, global, 240–244, 247, 248
and global warming, 240–**242**, 244, 247, 270, **271**
control of, 270
and decomposition of methane hydrates, 272, 274, **275**–277, 279
and gas hydrate deposits, 272
and greenhouse gases, **271**
and methane as energy source, 564
and temperatures of earth's crust, 273, 274
CSI (*See also* structures I and II), 283, **285**
and guests, 284, **286**
ethane as, 292
methane as, 286, 292
noble gases as, 284, 286
and labile cluster coordination number, 291
structures of, and assembly rate, 294
CSII (*See also* structures I and II), 283, **285**
formation of, 297, **298**
and guests, 284, **286**
and labile cluster coordination number, 291
and nucleation and growth, 296
propane with, 292
stability of, 296, 297
structures of, 294, 295
and growth rate, 296
compared with HSII, 296
Colorado School of Mines hydrate prediction program (CSMHYD) (*See* CSMHYD)
ConOLGA, 57
CSMHYD, 40, 414, 418–420, 565
error, 42
and Kihara parameters, adjustment of, 416

decomposition of hydrates (*See also* inhibition of hydrate formation), 312, **313**, 463
apparatus for study of, **420**
inhibitors as agents of, 464
kinetics of, 320–321
with temperature, **437**–**439**
and rate, 464
with methanol and glycol, **466**
salinity, effect of, 464, **465**
and temperature driving force, 464, **465**
Deep Sea Drilling Program (DSDP), 225, 234, 382, 395
Deep-Towed Acoustics/Geophysics System (DTAGS), 492
density functional (DF) theory, 153, 155, 157
DEPOSIT, 511
DF theory (*See* density functional [DF] theory)
differential refractometer, **36**
dissociation pressure, 347, 348, 353, 355
driving force, kinetic, 312, **313**, 318, 319, 321, 328
DSDP (*See* Deep Sea Drilling Program [DSDP])

EDC (*See* equilibrium dissociation curve [EDC])
electron paramagnetic resonance (EPR) spectroscopy, 476, **478**
energy
balance, 135, **140**, 141
resources, 27
EPR spectroscopy (*See* electron paramagnetic resonance [EPR] spectroscopy)
equilibrium dissociation curve (EDC) (*See also* circulation loop), **431**, **441**, 445
and equilibrium dissociation temperature, **437**–**441**
isochoric determination of point on, **433**
and kinetic inhibitors, 434
and thermodynamic inhibitors, **432**, 433
equilibrium dissociation temperature, **437**–**440**, 485
EQUI-PHASE composition model, 61, 66, 72, 568
EQUI-PHASE HYDRATE prediction model, 62, 66, 440

floating production system (FPS), 59, **61**
temperature profiles of
calculations for, 66
with template well, 68, **70**
flow simulator, 502–504
schematic of, 503
flowlines (*See also* pipelines), 40 *et seq.*
simulation of high-pressure hydrate formation in, 508–510, 513
formation of hydrates (*See also* inhibition of hydrate formation), 4, 16–18, 26–28, 57
and adsorption, 307, 320, 328
apparatus for study of, 412–414, **423**
for high-pressure, 453, **454**
from biogenic methane, 403, 404
conditions favoring
in aqueous solutions, **455**
with calcium chloride, 455–**457**
in methanol, 453, **454**

and crystal growth, 17, 18, 82–85, 100, 178, 179, 183, 185, 326
dendritic character of, 326, 328, 424
kinetics of, 314, 320
and decomposition, 312, **313**
apparatus for study of, **420**
kinetics of, 320–321
with temperature, **437–439**
delay of, 92
by diffusion, 484, **485**
dissociation of (methane hydrate), 531–534
heating curves with, **533**
and trailing effect, 534
and driving forces, 312, **313**, 321, 328
in the Earth, 358–360
and equivalent pipeline Reynolds number, 352 (*Table*)
excess vapor, drop in, as signalling hydrate formation, 439, **440**
exothermicity of, 334
experimental methods with, 450–451
and gas bubbles, 17, **136**, 138–140, 326
in gas-water flow, 505–507
and guest size, 356
induction period for, 177, **293**, 296–**300**, 307, 312
and driving force, 318, **319**, 321
and nucleation, 315, 554
probability distributions with, 310
and simulation, 558–560
kinetics of, 283 *et seq.*, 311 *et seq.*, 350–353
with gas/oil/water mixture, **526**
simulations of, 558–560
spectroscopic data on, 561–563
and labile clusters, 291–293, 307, 308
mechanisms of, 283 *et seq.*, 306 *et seq.*
and metastability, 212, 213, 216, 317, **431**–433
and nucleation and growth, 314, **315**, 326, **327**, 326
and decay curve for nucleation (water), **551**
and heterogeneous nuclei (seed crystals), 326, 328
kinetics of, 314, 316, 320
and nucleation lag time, 549, **550**
and supersaturation, 316–319, 326
in pipe, 85, **86**, **87**
predictive methods with, 451–452
and pressure, **26**, 42, **76–79**, 88, 94, 122, 124
at high pressure, **427**, 429, 508–510
at low pressure, model for, 511–513
prevention of (*See* inhibition of hydrate formation)
probability of, **79–81**
process of
competing reactions in, 296–301
hypothesis for, overview of, 288, **290**
and pressure-temperature trace, 288, **290**
and unit crystal structure, 294
in producing wells, 45, 46, 72
rate of, 291–293, **342**, 417 (*Table*)
initial, **560**
with methane-nitrogen mixtures, 420, 421
in reservoir fluids, 528–531
and reversed micelles, 469–**472**, 478, 479
in solid vapor deposits, 171–**175**
subcooling with, 81–**83**, **84**, 92, 127, 440–**442**, 530
and temperature, 26, **42**, 78, 124, **437–439**
prediction of hydrate formation with, 518, 519 (*Table*)
thermodynamic model of, 346, 347
from various gases, **44**
FPS (*See* floating production system)
free energy calculations, 537–539
freezing (*See also* density functional [DF] theory), 154 (*Table*)
and clathrate hydrate formation, 157
theory of, 153, 154
density wave, 155
mathematical, 155–157
fugacity, 312, 321, 346, 356

Geology of deposits (*See also* Gulf of Mexico), 225 *et seq.*, 250 *et seq.*, 368, 389, 386–389
and diapir, 231, 368, **370**, **373**–378, 389
and gas hydrate cemented layer, **373**
and hazards , 238–240, 243, 244, 272, 487, 488
on North Slope, 257, 261–264
of Prudhoe Bay-Kuparak River area, **263**–268
and reservoirs, 267–268
rocks and seals with, 255
on U.S. Atlantic continental margin, 367–**369**
in Blake Ridge region, 368, **370**, **372**, **377**
in Carolina Trough, 268, 373–**375**, 378
HSZ contours of, **376**
structure of, 374, 377
Global Change–Climate History Gas Hydrate Project, 248, 250
global warming (*See also* climate change, global), 240–**242**, 244, 247, 270
greenhouse effect, 4, 19, 142, 143 (*Table*), 240, 243, 244, 247, 270
and global warming (*See* climate change, global)

and greenhouse gases, **271**, 490
guest molecules, 33, 34, 164, 168, 169, 187, 207
in cage, 193–**196**
and guest-size—[en dash]hydrate structure relationships, 163, **167**, 191, 347–349
and induction period, 307
kinetic studies with, 170, 171
and lattice changes, 347–349, 353, 355
with methanol, 540–542
order parameters for, 194, 195 (*Table*)
and stability of clathrate hydrates, 208
and structure II, 188, 191
vibrational properties of, 193–198
guest-guest interactions, 357, 545
guest-host interactions, 189–191, 193, 197, 198, 200, 203
repulsive, 207, 208
and lattice relaxation, 208–210, 537
and memory effect, 208
Gulf of Mexico, 26, 45, 56, 58, 358
biogenic hydrates in, 389
gas seepage in, **385**, 386, 389
Green Canyon of, 387, **388**, **390**
hydrates in, 229, **230** (*Table*), **383**
and thermogenic hydrates, 383, 386, 411
temperatures in, **44**, 56

H FZ (hydration formation zone), **131–134**, 137, 139, 140
host molecules, 167
and lattice, 34, 162, 166–168, 177, 347–349, 353, 355
vibrational properties of, 197
HSZ (hydrate stability zone) (*See* hydrate stability zone [HSZ])
HYDRATE prediction model, 40–42, 57
experimental value of, 42, 43 (*Table*)
HYDRATE+ simulator, 508–510
hydrate stability zone (HSZ), 225, 227, 228, 231, **234**, 238, 248, 273, 410, 496
in Alaska, **261**
and BSR, 362, 363
factors affecting, 251–254, **359**
and methane concentration, 406
and pore water salinity, 254
thickness of, **359**
U.S. Atlantic continental margin (countour map), **376**
thickness of, 378
hydrates, gas (*See also* specific entry)
and computer modeling (*See also* lattice dynamics [LD]; molecular dynamics [MD]), 16
crystal hydrates as, 124, **125–130**, 140
decomposition of, 142
and deepwater production, 26, 27, 59 *et seq.*
detection of (*See also* seismic detection of, *under current head*, 360–363
energy density of, 236
in flow channels (*See also* pipelines), 3, 40 *et seq.*
formers of, potential, **168**
and kinetic studies, 16, 27, 76 *et seq.*, 92, 95, **97**, 124, 177, 178
and crystal growth, 17, 18, 124, **125–130**, 178, 555–556 (with cyclopropane)
and light, 124
with rotating autoclave, **526**
macroscopic scructures of, 447, 448
development of, **512**, 513
mapping of, 366, 367
melting, rate of, 421, 422, **423**
and phase behavior, **38**, 187, 312, **313**
and equilibrium, 13–16, 27, **76–79**, 95, **96**, **99**, **123**, 414, **415**
equilibrium curves for, **525**
two-phase equilibria, 535–536
recovery of gas from, 18–20, 27, 136, 142, 237, 238, 242
removal of, 90–**91**
seismic detection of (*See also* bottom simulating reflection), 107, 111, 112, 133, 234, 410
in Blake Outer Ridge sediments, 492–492
and blanking, 365, **366**, **367**, 378
and bubble distillation, 406
velocity inversion with, 107, 114, 365, 366
"wipeout" zones in, 385, 387
thermogenic origin of, 112, **230**, 265–268, 277, 364, 373, 382, 386
hydration number, 165, **167**, 177
hydrophobicity, 146, 147, 150, 159, 160
and clathrate hydrate formation, 157
and labile clusters, 288
and molecular interactions, 151, **152**
HYPERCHEM®, 16, 295

I nhibition of hydrate formation (*See also* plugging), 4, 19, 20, 27, 86 *et seq.*, 122, 141, 323 *et seq.*
acetone for, **138**, 457–461
alcohol and sugar as, 335, 336
antifreeze peptide as, 543, 544
calcium chloride as, 455–**457**
copolymers in, 337, 339, 340
in deep water, 59 *et seq.*, 73, 74
glycerol as, 456, **458** (*Table*), 461
glycols for, 4, 51, 81, 86, 94, **138**

induction time (as screening criterion) 325, 340–343, 432
kinetic means of, 46, 51, 52, 56, 301–303, 330
and crystal size and/or morphology, 342, 343
effectiveness of, 341–343
evaluation of, by laser, 330 *et seq.*,
and slow crystal growth, 443, 444
and subcooling, 342, 343, **442**, 443
techniques compared, **562**
tests of, **427**–429, 442–**445**
methanol for, 4, 46, 48, 49, 52, 53, 59, 67, 81, **84**, 86, 94, **138**, 530
cost of, 74
and well temperatures, 67, **71**, 72
polymers in, 303, 328, 337–340
and primary nucleation, 52, 124
and rate of nucleation, 328
surface active agents in, 303, 328, 336–340, 530
and temperature of pipeline, 87, 88
and winter flounder, 543, 544

J OHNSON SEA-LINK, 385

K ihara potential model, 347, 355, 356, 414, 415, 451
parameters for, 416 (*Table*)
kinetics of hydrate formation, 283 *et seq.*, 311 *et seq.*
Kubic harmonics, 194

l abile clusters, 287–292, 296, 297, 303, 307, 308
and coordination number, 288, 291, 292, 297, 303, 308
and activation energy, **291**, 292
lag time, in nucleation, 549, **550**
Langmuir constants , 41, 346–348
changes in, **546**
and configuration integral, 203
and fitting parameters, 347, 356
and guest-guest interactions, 545–547
and guest-guest energies, **547**
laser light scattering, 330 *et seq.*
lattice dynamics (LD), 187, 190, 191, 196, 208
lattice expansion, 347–349, 355
and guest size, 347–**349**
and chemical potential, 348, 349 (*Table*)
and stability of hydrate, 353
LD (*See* lattice dynamics [LD])
Lennard-Jones and Devonshire model (*See also* L-J D model), 30, 31, 187
Lennard-Jones potential model, 346, 355, 537
Lennard-Jones (LJ) diameter, 189, **349**
L-J D model, 30–32
LJ diameter (*See* Lennard-Jones [LJ] diameter)
logging, of wells, 360–363

M C (*See* Monte Carlo [MC] simulation)
MD (*See* molecular dynamics[MD])
mechanisms of hydrate formation, 283 *et seq.*, 306 *et seq.*
memory effect, 177, 182, 191, 192, 432
and repulsive guest-host interactions, 208
metastability (*See* hydrates, formation of)
methane (*See also* natural gas; hydrates, gas, recovery of gas from; global warming, *under* climate change, global; biogenic methane), **116**
amount in gas hydrate, 235 (*Table*), 243
atmospheric, 142, 143 (*Table*), 240, 241, **243**, 248, 270
and glacial cycles, 240–**242**, 272, 381, 381
and greenhouse effect, 4, 19, 142, 143 (*Table*)
recycling of in sediments, 400, **401**
residence times in sediment, 405
scatter plot for, **41**
saturation with, 393, *394*
solubility of, **149**, **485**
and water, 146, 147, 150, 159
and entropy, 149, 150, 159
and free energy, **152**
methane-nitrogen mixtures, equilibrium with, 417
and hydrate formation, rate of, 420, 421
phase diagrams for, 417, **418**, **419**, **420**
and computer predictions, **421**
molecular dynamics (MD), 16, 17, 187–204 *passim*, 208, 306, 308, 567
and crystal dissolution, 181, **182**, 185
and dodecahedral structure, 182, **183**, 185
and crystal growth, 178, 179, 183, 185
and cluster size, **184**
and Monte Carlo simulations, 309
Monte Carlo (MC) simulation, 306, 309
and Langmuir constants, 545–547
multiphase streams (*See also* pipelines), 26, 40 *et seq.*, 83, 94

n atural gas (*See also* methane), 24, 25, 27
components of, in water, 287 (*Table*)
and fuel applications (with NGVs), 521–524
recovery of, from hydrates, 18–20, 27, 565
resources of, in hydrates (*See also* HFZ; occurrence of hydrates), 24, 26, 130–134, 135, 141, 236, 565

development of, 142
storage and transportation of (in hydrate state), 27, 141
in United Arab Emirates, 518 (*Table*)
natural gas vehicle (NGV), 521–524
"freeze-up" in, 521
NGV (*See* natural gas vehicle [NGV])
nitrogen as methane contaminant, 412, 425
NMR studies (*See also* ^{13}C NMR spectroscopy), 12, 14, 162–164, **166–173**, **175**, 189, 194
North Sea, 44, 58, 75
nuclear spin density, 222 (*Table*)

O ccurrence of gas hydrates (*See also* permafrost), 18, 128, 129, 132, 134, 232 *et seq.*
in Alaska, 226–**230**, 255 *et seq.*, **256**
Kuparuk oil field in, 228, **229**, 233, 238, 248, **256**, **263**–268
North Slope in, **227**, 228, 233, 238, 248, **256**, 257
Prudhoe Bay in, 226, 228, **230**, 233, 238, 248, **256**, **263**–268, 566
in Arctic, **135**, 137, 232, 233, 248, 496
in Beaufort Sea, 229, **230**, 233, 495, 496
in Black Sea, **137**, 229, **230**
Brazil, 106 *et seq.*, 114 *et seq.*
in Canada, 495–496
in Eel River Basin, 384
on Nigerian continental slope, **383**, 384
in oceans, 134, 135, 137, 229, **233**–235, 567
in offshore deposits (*See also* Brazil), 228, 229, 232, 233, 235, 243, 383, 384
in Russia, 141, 225, 232, 236, 238, 247, 248
in sediment, **250**, 382
hydrate content in, 492–492
hydrate limit in, 395, 396 (*Table*)
test system as model for, 490–491
in shallow waters, 381 *et seq.*
and design of offshore platforms, 382
on U.S. continental margin, 367–**369**
in Blake Ridge region, 368, **370**, **372**
in Carolina Trough, 268, 373–**375**
in Western Hemisphere, **226**
worldwide, **135**, 229, **230**, **233**
ocean drilling program (ODP), 382, 392
ocean water, temperatures in, 116, **117**, **134**
ODP (*See* ocean drilling program [ODP])
OLGA, 57

P elotas Basin, 106–108, 114, 115
pentamer ring, 180, **181**, 185
permafrost (*see also* occurrence of gas hydrates), 226, 227, 228, 232, 233, 243, [look these out] 247 *et seq.*, 360, 361
and chemistry of gas, 259
distribution of, **249**
formation of gas hydrates in, 265, 266
methane in, amount of, 235, 243
pore pressure in, 258, 259
salinity of pore water in, 260
stability of gas hydrates in, **251**–254, 272
calculation of, 260, 273
temperatures in, 257–**259**, **276**
and melting, 275
petroleum fluid phase diagram, **426**
pigging, 50, 51
pipelines, 26, 46 *et seq.*, 75 *et seq.*
deep-water, with hydrate curves, **426**, 429
design margins with, 89
diameter of, 84, 85, 141
hydrate formation in, 46, 53
modeling of, 511–513
thickness of layer of, **512**
inhibitors used in, 46, 49, 51–53, 56–58
insulation and burial of, 4, 53, 56–58, 72
multiphase oil
temperatures and pressures in, **53**, **54**, **55**, **56**, **57**
multiphase wet gas, 83
flow rate in, 49–51
liquid mass flow in, 50, **51**
and liquid holdup, 50
temperatures and pressures in, 46, **47**, **48**
terrain profile of, 46, **47**
and pressure, 44
and temperature, 87, 88
PIPESIM flow simulator, 61–63, 66
plugging, 19, 26, 50, 84, **85**, 94 *et seq.*, **101**, 119, 124, 141, 268, 567
chemicals with (*See also* inhibition of hydrate formation), 90–92, 94, **102**–**104**
and dispersant additives, 94, 96, 99, **101**–**104**, 105
screening test for, 501
and dissociation by pressure reduction, 514–517
apparatus for testing, **516**
pressure profile with, **516**
in flow simulator, **504**–507
kinetic models in, 353
in subsea flowlines, 40
Powell, H.M., 31–33, 35
primary nucleation, 16, 17, 52, 326
light scattering studies for, 552, 554
PROPSIM, 440, 441

R adial distribution function, 193, **194**, 208–**210**, **541**
ramping, 215, 216, 219

reorientation of water, 168, 169 (*Table*), **563**
reversed micelle, 468, **469**, 481, 482
  CdS crystallites prepared in, 468, 469, 474, **475**
    photocorrosion characteristics of, 475–**477**
  enzymes with, 472–474
  EPR spectra with, **478**
  and hydrate formation, 469–**472**, 478, 479
  size of, **473**
  surfactants in relation to, 479, 481–483
rheological studies, 95, **97**, 528–531
  and volume changes with hydrate formation, **530**
rotating autoclave, **526**
Russia (*See also* occurrence of gas hydrates), 119 *et seq.*
  and hydrate publications, **5**, 119, 130

S H (*See* structure H)
shutdown, 88
  simulation of, 498–501
slope failure, 487, 490
  frequency with depth, 488, **489**
  mapped versus hydrates, **488**
solubility, 147–**150**
SOLVENT, 152
stability of hydrates, 187 *et seq.*
statistical thermodynamics (*See* van der Waals and Platteeuw model)
structure H, 9, 11, 15, 20, 161–163 (*Table*), **164–166**, 187, 191
  cavities in, 345
structures I and II, 9, 13, 162, 163 (*Table*), 162, **164–166**, 168, 169 (*Table*), 175, 187–189, 191–193, **196**, **199**, 212–**214**, 219, 254, 283, 306, 418, 566
  and antifreeze peptide (I), 543, 544
  cavities
    number of (I and II), 344, 345
    size of (I), **345**
  and computer simulation, with methanol (I), 540–542
  free energy calculations for (I), 537–539
  formed in reversed micelle (I), **470**
subcooling, 81–**83**, **84**, 92, 127, 440–**442**, 443
SYBYL®, 16

tension leg platform (TLP), 59, **60**
  temperature profiles of, **69**, **71**
    calculations for, 66
    and elevation, **67**, 68
    and pressure, **68**
    for satellite well, 68, **69**
TLP (*See* tension leg platform)
translation frequency spectra, **197**
types I and II (*See* structures I and II)

U NESCO, 144
UNIQUAC, 41, 452
unit cell
  size of, 193, **195**
  structural properties of, **345**
United Arab Emirates, 518–520

V an der Waals and Platteeuw model, 13–16, 187, 188, 193, 202–204, 207, 284 (*Table*), 355, 414, 419, 451, 452, 471
  and Langmuir constants, 545
vibrational density, 190
viscometer, **301**–303, 498, **499**
viscosity, 95, 96, 103, 302, 303, 529
  and pressure, **500**

W ell (*See also* tension leg platform; floating production system), 59, 62, **63**
  heat transfer in (mathematical model), 62–65
    and hydrate formation, 72
  hydrate formation in, **45**, 46
    during blowout, 278–280
  kinetic field test with, **428**, 429
  temperature profiles in, 59, 62
    calculation of, 66
winter flounder antifreeze peptide, 543, 544

X -ray powder diffraction, 9, 162, 164, 171, 172, **174**, 214